




Figure 1



A




B



C

Figure 2




S1 = 2-(1H-Imidazole-4-yl)-1H-perimidine

S2 = 1-Ethyl-1H-perimidine

S3 = 2-Pyridine-3-yl-1H-perimidine


S4 = 2-p-Tolyl-1H-perimidine

Figure 3



S1 = 1,2-Dimethyl-1H-perimidine
S2 = 4-(1H-Perimidine-2-yl)-benzonitrile
S3 = 1H,3H-Perimidine-2-thione
S4 = 3-(1H-Perimidine-2-yl)-phenylamine


Figure 4



Example:


Substance: 3-(1H-Perimidine-2-yl)-phenylamine

Figure 5



Substance: (1-Methyl-1H-perimidine-2-yl)-methanol


Figure 6



Substance: 2-Pyridine-4-yl-2,3, dihydro-1H-perimidine

Figure 7

Aggregates/Protein
(% of solvent
control)




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

Substance: 8-Fluoro-1,2-dimethyl-4,5-dihydro-pyrrolo[3,2,1-ij]quinoline-6-one

Figure 8

Aggregates/ Protein
(% of solvent
control)




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

Substance: 8-Fluoro-1,2-dimethyl-4,5-dihydro-pyrrolo[3,2,1-ij]quinoline-6-one


Figure 9

Aggregates (% of solvent control)



Example: 2-Furan-2-yl-2,3,4,9-tetrahydro-1H-indenol[2,3-c]pyridine-3-carboxylic acid methyl ester

Figure 10



Ordinate: Aggregates/Protein (% of solvent control)

Abscissa: Substance concentration (μM)

Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

Substances:

S1 = 3H-Phenoxazine

S2 = Phenoxazine-3-one


S3 = 7-Amino-1,9-dimethyl-phenoxazine-3-one

S4 = Beta-amino-orcein

S5 = Alpha-amino-orcein


S6 = Alpha-hydroxy-orcein

Figure 11




Substance: 1,9-Dimethyl-phenoxazine-3-one

Figure 12




Substance: 7-Hydroxy-1,9-dimethyl-phenoxazine-3-one

Figure 13



Substance: Alpha-amino-orcein

Figure 14




Substance: Beta-hydroxy-orcein

Figure 15

Substance concentration/ μM	6.25	205	100
--	------	-----	-----


+ Amyloid- β			
--------------------	--	--	--

- Amyloid- β			
--------------------	--	--	--




Example: Alpha-amino-orcein

Figure 16



Example: Alpha-amino-orcein


Figure 17



Substance: Dihydroxyanthraquinone (Danthron)

Figure 18


Aggregates
(% of solvent
control)



Substance: Chrysarobin

Figure 19

Ordinate: Aggregates/Protein
(% of solvent
control)




Blue Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

Substance: Thiophene-2-yl-acetic acid 4-(4-acetyl-piperazine-1-yl)-phenyl ester


Figure 20

Aggregates/Protein
(% of solvent
control)



Substance: 5-[4-(Thiazole-2-ylcarbamoyl)-phenyl]-furan-2-carboxylic acid thiazole-2-ylamide


Figure 22



Substance: Thiophene-2-yl-acetic acid 4-(4-acetyl-piperazine-1-yl)-phenyl ester

Figure 21

Aggregates/Protein
(% of solvent
control)




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

Substance: 4-Methyl-2-[3-(3-phenyl-[1,2,4]thiadiazole-5-yl)-ureido]-pentanoic acid ethyl ester


Figure 23

Aggregates/Protein
(% of solvent
control)




Substance: 4-Methyl-2-(3-phenyl-[1,2,4]thiadiazole-5-yl)-pentanoic acid ethyl ester

Figure 24




Substance abbreviations:
EGCG: Epigallocatechin gallate
GCG: Gallocatechin gallate
GC: Gallocatechin
EGC: Epigallocatechin

Figure 25



Substance abbreviations:
EGCG: Epigallocatechin gallate
GCG: Gallocatechin gallate
GC: Gallocatechin
EGC: Epigallocatechin

Figure 26




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

S1 = 2-Amino-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile

Figure 27




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

S2 = 2-(3-Dimethylamino-propylamino)-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile

Figure 28




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates


S3 = N-(8-Cyano-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-2-yl)-N-(3-dimethylamino-propyl)-formamide

Figure 29



Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)
Pink: Amount of SDS-insoluble protein aggregates
S4 = N-(8-Cyano-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-2-yl)-acetamide

Figure 30




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

S5 = N-(8-Cyano-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-2-yl)-N-(2-dimethylamino-ethyl)-formamide

Figure 31




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

S6 = N-(8-Cyano-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-2-yl)-N-(2-dimethylamino-ethyl)-acetamide

Figure 32




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

S7 = 7-Oxo-2-(2-piperidine-1-yl-ethylamino)-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile

Figure 33




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

S8 = 2-[4-(3-Hydroxy-propyl)-piperazine-1-yl]-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile

Figure 34




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

S9 = 2-[Benzyl-(2-dimethylamino-ethyl)-amino]-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile

Figure 35



Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)
Pink: Amount of SDS-insoluble protein aggregates
S10 = 2-[(2-Diethylamino-ethyl)-ethyl-amino]-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile

Figure 36

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record.**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☒ **OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.